

Sprecher + Schuh

ECOModul Signal Towers

40mm, 60mm and 70mm Economical Modular Warning Tower Lights.

Best of Class

High grade and comprehensive, this modular line of 40, 60 and 70mm diameter signaling towers are flexible, economical, and easy to assemble and install. Include up to 5 modules per tower, or four with a sound option. The optional Double Sided mount allows up to ten modules for even greater flexibility. Order as components or assembled to your specifications from our panel shop.



Modern Construction for Today's Industrial Applications

Industrial polycarbonate is used to construct all light modules and bases. Features include incandescent, LED or strobe illumination, piezo sound tones, and aluminum pole bases and extension poles, including the Quick Release adapter. All poles are offered in several lengths, and may be cut to a specific length if required. A variety of standard bases offered include surface mount, pole mount, and side mounting for vertical equipment surfaces and walls.

All ECOmodul tower lights meet UL Type 4 / 4X / 13 and IP66 guidelines for use indoors or out. Some models include the HD option, a High Performance LED module for exceptional visibility designed for outdoor, daylight or hazardous signaling applications. No other manufacturer offers this extensive range of options and environmental approvals.

Easy Assembly, Change-out and Maintenance

Up to five modules of the same voltage may be combined in any order with a simple twist of the wrist. Each light module has a bayonet locking system and finger protection that allows it to be “hot swapped” if necessary. With reassembly of the Warning Tower, all modules are under power again, automatically. To prevent unauthorized opening, optional set screws may be used to lock each module in place.



Compare These Features

- Modules include universal black polycarbonate housing and cap
- Steady incandescent illumination
- Long life LED illumination in steady, flashing, strobe, or multi-strobe
- High Performance LED illumination in steady, strobe, or multi-strobe
- Common voltages from 12V AC/DC up to 240V AC
- Aluminum pole bases from 10cm to 40cm, plus 10cm base extender
- Piezo buzzer and multi-tone sound modules with easy connection terminals
- Nine different mounting options
- Excellent cost to performance ratio

- Order complete assemblies or components

Sprecher + Schuh is the exclusive reseller of Auer Signaling solutions in the United States and Canada.